

CREAM



e108 g / 3.38 ft. pv

Research based cream to protect from radiation which aggravate dermatitis related skin problems



(CREAM)



RADIATION REPAIR FORMULA

CRAMSVLDJ® Ray Cover cream is an advanced treatment formula that recover radiation induced skin damage and promotes to heal it without any side effect.



(CREAM)



ADVANCED FORMULA

This cream combination is not the barrier of radiation therapy but protect skin from harmful effect of radiation.

Also recover the skin that damaged by laser therapy.





Reference: In a randomized double blind placebo-controlled study of 134 radiation patients, 0.2% hyaluronate cream was shown to significantly reduce the incidence of high grade skin reactions, delay their onset & reduce their severity. The study also noted hyaluronate's association with faster skin recovery times. (Ligouri V.et al, Radioth Oncol. 1997; 2:155-161).





KEY INGREDIENTS:

Reference: In a prospective, randomized study of 254 radiation patients. Topical application of 4% calendula ointment resulted in far fewer occurrences of grade 2 of higher clematitis than occurred in the group using Biafine (trilamine). Calendula users also experienced less radiation induced pain & fewer breaks in treatment (Prommier p.et al. J Clinical Oncol 2004;22:447- 1453).





KEY INGREDIENTS:

Reference: A self-controlled clinical trial, Curr Oncol. Aug. 2013; 20(4): e345e348.Doi:10.3747/co.20.1356PMCl D:PMC3728063P. Haddad, MD,*† F. AmouzgarHashemi, MD,† S. Samsami, MD,† S. Chinichian, ‡ and M.A. Oghabian, PhD § Author information » Copyright and License information »



CREAM



KEY INGREDIENTS:

WHEAT GERM OIL

Calm and soothe the skin, balance and repair skin damage



VITAMIN E

Protects cells from damage and softens skin.



JOJOBA OIL

Moisturises the damaged skin and help speed up wound healing



ALMOND OIL

It has antibacterial and antifungal properties, and reduces redness and inflammation.













Indications: To soothe & promote healing of dermatitis that develops during radiation.

Contraindication: Any history of allergic reaction on previous use of the product or similar products.

Adverse Effect: No known adverse effects reported.

DIRECTION OF USE:

- Apply on affected areas.
- Do not use 2 hours before and after radiation.
- Immediately consult to specialist if severe irritation persists.



CREAM



PRECAUTIONS:



Two hours gap before and after radiation.



No any other **Cream/Gel/Lotion** to be used.



Report to consultant / dermatologist if any reaction or adverse effect or reaction



Keep this out of the reach of children.

CRAMSVLDJ RESEARCH

For any queries please call us or email



© 09690112288 | © cramsvldjresearch@gmail.com